




CPL28B
Subwoofer speaker system
超低扬声器系统

Product
Specifications
产品说明书



SPECIFICATIONS

Crest Audio® CPL28B

The new CPL enclosure series features high power ratings with custom components, a sleek look and a unique, snap-in metal grille. The CPL28B is a powerful subwoofer designed to compliment the other CPL speakers, and features one maximum-performance 18" woofer. It is rated at 1400 Watts continuous and 2800 Watts program. This speaker system is ideal for smaller venues where space is at a premium. Connections include two NL4 four-pin jack. The CPL Series is available in black.

*Features

- Subwoofer sound reinforcement enclosure
- Designed for permanent installations
- Premium 18" woofer
- Available in black
- Continuous power: 1400W
Program power: 2800W
- 28Hz-150Hz
- 105 dB at 1W/1m
- 4 Ohms

Specification:

- Type: two units subwoofer system
Continuous power: 1400W
Program power: 2800W
- Impedance: 4 OHMS
- Sensitivity (1W@1m): 105dB
- Maximum sound pressure level (1 meter): 136dB @ 1400W / 139dB @ 2800W.
- Frequency response, 1 meter on-axis, swept-sine in anechoic environment:
28Hz-150Hz (-10 dB)
- Nominal coverage pattern (-6dB): 360° H x 360° V
- Transducer complement: 2 x 18" woofer 4" VC (100mm)
- Input connections: NL4 4-pin jack x 2 PIN 1= (+) POSITIVE, PIN 2= (-) NEGATIVE
- Material: 18mm (0.7") plywood
- Surface treatment: Black textured polyurea paint
- Dimensions: H 545mm x W 1226mm x D 700mm
H 21.46" x W 48.27" x D 27.56"
(Note: height is with feet included)
- Packing size: H 1305mm x W 770mm x D 605mm
H 51.38" x W 30.31" x D 23.82"
- Net Weight: 89.2kg (196.7 lbs.)


Flying or Mounting the CPL Enclosure

 CAUTION:

This enclosure is not designed to be flown or hung overhead, use only on the ground or stage!

Dimensions:

Unit:mm



产品规格

Crest Audio®CPL28B

全新的CPL系列扬声器具有高额定功率值，定制组件，时尚的外观和独特的嵌入式网罩。CPL28B是一款强大的低音炮，为与搭配其它CPL系列扬声器搭配使用而设计，18"高性能低音单元。额定功率为1400W, 音乐功率2800W。此款扬声器系统非常适合空间有限的小型场所。输入连接包含两个NL4四芯插座。CPL系列为黑色。

*特点

- 超低音扩声扬声器
- 固定安装
- 18"优质低音单元
- 颜色：黑色
- 额定功率：1400W
音乐功率：2800W
- 28Hz-150Hz
- 105dB (1W/1m)
- 4 Ohms

技术参数

- 系统类型：两单元超低扬声器系统
额定功率：1400W
音乐功率：2800W
- 阻抗：4 OHMS
- 灵敏度(1W@1m)：105dB
- 最大声压级(1米)：136dB@1400W (139dB@2800W)
- 频率响应：28Hz-150Hz (-10dB)
- 标称指向性(-6dB)：360° H×360° V
- 换能器配置：2 x 18" 低音驱动器 4"音圈(100mm)
- 输入连接器：NL4 4芯插座 × 2 PIN 1= (+) 正极, PIN 2= (-) 负极
- 箱体材质：18mm (0.7") 优质夹板
- 表面处理：黑色聚脲漆
- 产品尺寸：H 545mm x W 1226 mm x D 700 mm
H 21.46" x W 48.27" x D 27.56"
(注：高度含脚垫)
- 包装尺寸：H 1305mm x W 770mm x D 605mm
H 51.38" x W 30.31" x D 23.82"
- 净重:89.2kg (196.7 lbs.)


吊挂或安装CPL系列音箱

⚠ 注意:

此扬声器不可吊挂或悬挂在高处，只能在地面或舞台上使用！

产品尺寸:

单位: mm





www.peaveycommercialaudio.com

Warranty registration and information for U.S. customers available online at
www.peaveycommercialaudio.com/warranty
or use the QR tag below



Features and specifications subject to change without notice.

Crest Audio 5022 HWY 493 N. Meridian, MS 39305 (601) 483-5365 FAX (601) 486-1278



Logo referenced in Directive 2002/96/EC Annex IV
(OJ(L)37/38, 13.02.03 and defined in EN 50419: 2005
The bar is the symbol for marking of new waste and
is applied only to equipment manufactured after
13 August 2005